PROADAS START


FOR TESTING AND CALIBRATING DRIVER ASSISTANCE SYSTEMS ON MULTI-BRAND VEHICLES



SICE AUTOMOTIVE EQUIPMENT

evoluzionecontinua

BENEFITS



- **Ease of use.**
  Versatile, it meets the needs of all types of customers.
- Compatible for use with cars and commercial vehicles even if positioned on car lift or other structure. The **software compensates for the offset of the levelled surface** where the vehicle is located.
- Easy to move, thanks to its **4 oversized swivel castors**, it can be transported effortlessly. **Robust and reliable, designed to meet the needs of every workshop.**




- Ergonomic **“everything within reach”** working position: thanks to its design, the operator makes all the adjustments without moving.
- The system’s positioning is done quickly and accurately **with 2 special knobs**.
- **Electrical movement** (*up/down*) of the system.
- **Only 1 operator** needed for use.
- Several storage compartments allow the operator to keep everything under control.



ERGONOMICS

EASY TO USE



- The system's alignment is done by means of two laser pointers and two targets positioned on the brackets on the rear axle of the vehicle.
- System positioning is controlled via software through laser pointers that communicate via Bluetooth: **distance, height** and **orthogonality**.




- **Intuitive**. Error-proof. The software contains the preloaded positioning values. It displays the current position and guides the system in carrying out the operations *(patented)*.
- **Plug & Play. Immediate operator productivity!** Simplified internal software procedures guide the operator through the process step-by-step.

INTUITIVE PLUG & PLAY




- **Next Generation 3D-Sice Wheel Aligners**. The ADAS systems can be calibrated at the end of the wheel alignment procedure; **the appropriate kit** allows using the wheel aligner cameras to align the **PROADAS** according to the manufacturer's specifications.

COMPATIBLE



Technical data
Maximum dimensions (LxDxH): 2773 x 662 x 2850 mm

Weight **131** kg



COMPLETE REPORT

- **Workshop data - customer**
- **Incoming vehicle status**
- **Active errors in the control unit**
- **Alignment position of PROADAS structure with respect to vehicle and manufacturer**
- **ADAS systems calibration result**
- **Outgoing vehicle status**

Versatile for every need: • mechanical workshops • body shops • car glass repair shops • tyre specialists

PROADAS START

WE CALIBRATE SAFETY

SICE AUTOMOTIVE EQUIPMENT

evoluzionecontinua

sice.it

watch the video

visit the site

DPSC000482A - 02/2022